



# P fitting

## Female with flat seat



### ► Composition:

- Brass
- Gas thread according to ISO 228
- Other materials on request (nickel-plated brass, stainless steel, etc.)

### ► Packaging:

- In bags
- Other packaging types on request

### ► Assembly:

P fittings can be used on our QUAL'IFT® hoses (according to the indications in the table below)

### ► Sealing:

Flat gasket on flat seat

### ► Application:

All low-pressure applications



## ASSEMBLY

► IFT fittings must be assembled by scrupulously following the recommended rules and stages in paragraph "Recommendations for use"



## CUSTOM OFFER

► Contact us for all your specific requirements

### ► Fittings for your low-pressure applications / References & Compositions

Without integrated gasket							
Reference	For hose	Material		Thread		Diam.	
	DN (mm)	Hose connection	Nut	mm	thumb	mm	
P080LAENI	08	Brass	Nickel-plated brass	8 x 13	1/4"	6.2	
P081LAENI				12 x 17	3/8"		
P082LAENI				15 x 21	1/2"		
P101LAENI	10			12 x 17	3/8"	7	
P102LAENI				15 x 21	1/2"		
P104LAENI				20 x 27	3/4"		
P121LAENI	12			12 x 17	3/8"	9.5	
P122LAENI				15 x 21	1/2"		
P124LAENI				20 x 27	3/4"		
P152LAELA	15		Brass	Brass	15 x 21	1/2"	12.5
P154LAELA					20 x 27	3/4"	
P155LAELA					26 x 34	1"	
P204LAELA	20				20 x 27	3/4"	17
P205LAELA					26 x 34	1"	
P265LAELA	26				26 x 34	1"	22
P266LAELA					33 x 42	1" 1/4	
P336LAELA	33	Brass	Brass	33 x 42	1"1/4	28	
P337NIELA		Nickel-plated brass		40 x 49	1"1/2		
P407LAELA	40	Brass		40 x 49	1"1/2	34.5	
P508LAELA	50			50 x 60	2"	44	

With integrated gasket						
Reference	For hose	Material		Thread		Diam.
	DN (mm)	Hose connection	Nut	mm	thumb	mm
P081LAENIJ	08	Brass	Nickel-plated brass	12 x 17	3/8"	6.2
P082LAENIJ				15 x 21	1/2"	
P084LAENIJ				20 x 27	3/4"	
P101LAENIJ	10			12 x 17	3/8"	7
P102LAENIJ				15 x 21	1/2"	
P104LAENIJ				20 x 27	3/4"	
P122LAENIJ	12			15 x 21	1/2"	9.5
P124LAENIJ				20 x 27	3/4"	



IFT Groupe Omerin SAS  
Zone Industrielle - F 63600 Ambert  
Tel: +33 (0)4 73 82 33 33  
ift@omerin.com